

BLACK EDITION

PREMIUM DUMP BODIES

**Dilbeau**®

▶ QUALITY, INTEGRITY AND INNOVATIVE DESIGN

# INCREASE YOUR VERSATILITY | PROFITABILITY

**Bibeau** is better! HERE'S why :

## ▶ BIBEAU DUMP BODIES ARE BETTER BY DESIGN! ALL BIBEAU DUMP BODIES ARE CROSSMEMBERLESS AND HAVE BEEN FOR ALMOST 50 YEARS.

MORE PROFIT Lighter weight = more payload.

LONGER LIFE CYCLE = No floor washboard (cause of premature wear and tear).

FEWER DINGS AND DENTS = The floor flexes upon impact.

VERSATILITY = Rugged work one day Haul with maximum payload the next.

CLEAN UNDER-STRUCTURE = No material hang-up, less rust and corrosion.

BIBEAU DUMP BODIES OFFER YOU EVEN MORE!

- Sides are spring-loaded to better handle the load stress.
- Built-in conduits for easy hook-up of heat.
- The empty body rests on rubber shock-absorbing bumpers.
- Lower mounting height, result in more stability.
- Smaller doghouse reduces material hang-up, helps with weight distribution.
- Trunion-mounted hoist offers additional stability.
- Door hinges specifically designed to prevent sagging due to linkage wear.
- Reliable "over-center" type door latching system ready for air actuation.
- Hoist brackets compatible with Mailhot and Hyva hoists.



BIBEAU DUMP BODIES ARE BUILT TO LAST AND LOOK GOOD FOR A LONG TIME!

- Built exclusively with the best quality raw material.
- Welds are continuous throughout.
- Shot blasted and primed in a controlled environment.

## Consistency you can trust!

Bibeau's innovative Tru-weight is already 10 years old! Since the introduction of this program, each Bibeau body continues to be individually weighed at the final stage inspection. To ensure precision, we use a sensitive scale certified within 10 pounds!



*Laser cutting technology providing outstanding precision.*



*Welds are continuous throughout.*



*Shot blasted in a controlled environment.*



*Primed and inspected to ensure quality consistency.*



*Sides are spring-loaded to better handle the load stress.*



*Dump body rests on rubber bumpers preventing rattles when empty*



*Built-in conduits for easy hook-up of heat.*



*Door hinges specially designed to prevent sagging due to linkage wear.*



# BMT SERIES

# NEXT GENERATION

## Next Generation

The new BMT is without a doubt innovative and adapted to the new industry standards. Built with the highest steel quality combined with finest engineering knowledge. Bibeau's BMT series is built to fulfill your toughest needs.

The single-panel tailgate design, provides a high impact resistance factor while maintaining a higher flex capability.

The two-piece formed top rail providing long lasting strength\*

Dog house 12" deep.



Wider rear posts.

Wider rub rails extending width to 99" O.D.

The smooth sides (no post and/or horizontal bends) have a greater capability to flex. They can absorb more energy before showing nasty dents.

See back cover for BMT-P with side posts

\*BMT-S  
Illustrated with options  
Illustrated as reference only

## STANDARD SIZES

|                  |  |
|------------------|--|
| Body lengths :   | 13'0" to 22'0"                           |
| Side heights :   | 36" to 60"                               |
| Door heights :   | 42" to 66"                               |
| Hoist bracket :  | 30t to 50t (Front trunion mount)         |
| Capacity :       | 8 to 30 cubic yards                      |
| approx. weight : | 4645 lbs*<br>(based on 15'0 x 48" x 60") |

## TECHNICAL INFORMATION

| Construction | Material          | BMT-P<br>(with side posts) | BMT-S |
|--------------|-------------------|----------------------------|-------|
| Sides :      | AR450             | 3/16"                      | 3/16" |
| Front :      | AR450             | 3/16"                      | 3/16" |
| Floor :      | AR450             | 1/4"                       | 1/4"  |
| Door :       | AR450             | 1/4"                       | 1/4"  |
| Longsills :  | 100,000 min/yield | 1/4"                       | 1/4"  |

Other sizes may also be available. For more information, call Bibeau® or your nearest Bibeau distributor

# BFL SERIES

# NEXT GENERATION

## Next Generation

The new BFL takes versatility to yet another level. Its innovative design combined to the toughest steel the industry has to offer, put the BFL series in an unparalleled category of light weight and ruggedness.



Dog house  
12" deep.

The two-piece formed  
top rail providing long  
lasting strength\*

Wider rear posts.

\*BFL-S  
Illustrated with options  
Illustrated as reference only

The smooth sides (no post and/or horizontal bends) have a greater capability to flex. They can absorb more energy before showing nasty dents.

Wider rub rails  
extending width  
to 99" O.D.

See back cover for BFL-P  
(with side posts)

## STANDARD SIZES

|                  |  |
|------------------|--|
| Body lengths :   | 13'0" to 22'0"                           |
| Side heights :   | 36" to 60"                               |
| Door heights :   | 42" to 66"                               |
| Hoist bracket :  | 30t to 50t (Front trunion mount)         |
| Capacity :       | 8 to 30 cubic yards                      |
| approx. weight : | 3930 lbs<br>(based on 15'0" x 48" x 60") |

## TECHNICAL INFORMATION

| Construction | Material         | BFL-P<br>(with side posts) | BFL-S |
|--------------|------------------|----------------------------|-------|
| Sides :      | AR500            | 1/8"                       | 5/32" |
| Front :      | AR500            | 1/8"                       | 1/8"  |
| Floor :      | AR450            | 3/16"                      | 3/16" |
| Door :       | AR450            | 3/16"                      | 3/16" |
| Longsills :  | 100,000 min/yard | 3/16"                      | 3/16" |

Other sizes may also be available. For more information, call Bibeau® or your nearest Bibeau distributor

# Bibeau "M"®

**EL-188**

**and  
EL-250**

**Series**



Dump body illustrated with options



Dump body illustrated with options

If your application requires an elliptical design, the EL series built of AR450 is for you.

With its 3/16" body shell, the EL-188 maximizes the payload/strength ratio. As for the EL-250, its 1/4" construction significantly increases its capability to resist abuse.

## Standard sizes

|                  |  |
|------------------|--|
| Body lengths :   | 13'0" to 22'0"   |
| Side heights :   | 48" to 60"   |
| Door heights :   | 54" and 66"  |
| Hoist bracket :  | 30t to 50t (Front trunion mount)   |
| Capacity :       | 8 to 30 cubic yards  |
| approx. weight : | 3996 lbs (EL-188)<br>4723 lbs (EL-250)<br><small>(based on 15'0 x 48" x 60")</small> |

## Standard sizes

|                |                     |                  |  |
|----------------|---------------------|------------------|--|
| Body lengths : | 12'0" to 22'0"      | Side heights :   | 42" to 66"   |
| Door heights : | 54" and 66"         | Hoist bracket :  | 30t to 50t (Front trunion mount)                           |
| Capacity :     | 8 to 30 cubic yards | approx. weight : | 4870 lbs (M)<br><small>(based on 15'0 x 48" x 60")</small> |

**Getting it done for less!**

*Not all applications require the "heavy duty" factor.*

*The "M" series could be the right body for you.*

*The 1/4" AR200 floor provides for a better than average wear & tear factor.*

## TECHNICAL INFORMATION

| Construction                  | Material | EL-188 | EL-250        |
|-------------------------------|----------|--------|---------------|
| Sides :                       | AR450    | 3/16"  | 1/4"          |
| Front :                       | AR500    | 1/8"   | 3/16" (AR450) |
| Floor :                       | AR450    | 3/16"  | 1/4"          |
| Door :                        | AR450    | 3/16"  | 1/4"          |
| Longsills : 100,000 min/yield |          | 3/16"  | 1/4"          |

## TECHNICAL INFORMATION

| Construction | Material | M Series |
|--------------|----------|----------|
| Sides :      | gr50     | 3/16"    |
| Front :      | gr50     | 3/16"    |
| Floor :      | AR200    | 1/4"     |
| Door :       | gr50     | 1/4"     |
| Longsills :  | gr50     | 1/4"     |

Other sizes may also be available. For more information, call Bibeau® or your nearest Bibeau distributor

# ▶ CUSTOMIZE YOUR DUMP BODIES WITH OUR OPTIONS AND ACCESSORIES



45 degree bumper



Hi-lift



Sloped Front



Slim tank



Tapered sides



Hook lift / Roll-Off



Flat front



Twist locks



Barn door



Front cut corners



Pin-to-pin



Coal (grain) door

## Options and Accessories :

- 45 degree bumper
- "Hi-lift" tailgate
- Barn door (swing gate)
- Door rubber seal
- Front cut corners
- Coal door
- Complete tarp systems
- Floor and side overlays
- Cab shield 12" to 36"
- Asphalt apron
- Flat front (no doghouse)
- Top rail access
- Pin-to-pin cylinder mount
- Tapered sides
- Installation kit, hardware and parts
- Inside steps
- Ladder
- LED light kits
- Thermostatically controlled stainless steel heat kits
- Slim tank

# ▶ OPTIONS

|       | OPTIONS                        | «M» | ELLIPTICAL | BFL       | BMT       |
|-------|--------------------------------|-----|------------|-----------|-----------|
| DOOR  | Sloped gate (std 8")           | STD | STD        | STD       | STD       |
|       | Straight gate                  | ●   | ●          | ●         | ●         |
|       | Barn door (swing gate)         | ●   | ●          | ●         | ●         |
|       | "Hi-lift" tailgate             | ●   | ●          | ●         | ●         |
|       | Double-acting tailgate         | ●   | ●          | ●         | ●         |
|       | Automatic door                 | ●   | ●          | ●         | ●         |
|       | Manual door opening            | ●   | ●          | ●         | ●         |
|       | Door rubber seal               | ●   | ●          | ●         | ●         |
|       | 12" slope                      | ●   | ●          | ●         | ●         |
| FRONT | Sloped Front                   | ●   | ●          | ●         | ●         |
|       | Flat front (no doghouse)       | ●   | ●          | ●         | ●         |
|       | Pin-to-pin cylinder mount      | ●   | ●          | ●         | ●         |
|       | Front cut corners              | ●   | ●          | ●         | ●         |
| SIDES | Slim tank                      | ●   | ●          | ●         | ●         |
|       | Smooth sides                   | ●   | STD        | STD BFL-S | STD BMT-S |
|       | Side posts                     | STD | ●          | STD BFL-P | STD BMT-P |
|       | Tapered sides (60" to 48")     | ●   | ●          | ●         | ●         |
| OTHER | Extra light holes (rear posts) | ●   | ●          | ●         | ●         |
|       | 102" wide                      | ●   | ●          | ●         | ●         |
|       | 45 degree bumper               | ●   | ●          | ●         | ●         |
|       | AR450 liner                    | ●   | ●          | ●         | ●         |
|       | Installed coal door            | ●   | ●          | ●         | ●         |
|       | One-piece AR450 floor          | ●   | ●          | STD       | STD       |
|       | Roll-off (A frame mounted)     | ●   | ●          | ●         | ●         |
|       | 6" or 10" longills             | ●   | ●          | ●         | ●         |



IMPORTANT: Certain manufacturing options are not compatible with one another. For more information, call BIBEAU or your nearest BIBEAU distributor

Not available ●

Optional ●

Standard STD



**BMT P**

see specifications p.2



**TRAILERTUBS**



**BFL P**

see specifications p.3



ALSO AVAILABLE: CLASS 1 TO 7 TRUCK BODY BROCHURE

[WWW.GROUPEBIBEAU.COM](http://WWW.GROUPEBIBEAU.COM)

TEL.:450.889.5505

FAX:450.889.8166